

Professional wet/dry vacuum cleaner with high suction power

The VIPER LSU255 is a wet/dry professional vacuum cleaner. It is easy to use, robust and has optimal suction power.

LSU product family has a modular design with different tank capacities and motor quantities.

Tank capacity for LSU255 is 55 liters and it has two motors.

You can choose stainless steel tank or red plastic tank. You can easily see whether the tank is full of water or not if the tank is made of translucent plastic. It has a drain hose mounted and you can easily empty the tank without taking off the motor.

It has large rear wheels and rotating front wheels which makes it light and easy to maneuver.





As standard, the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pick-up tool and dry pick-up tool.

- Easy to use and service
- Optimal suction power
- Robust chassis
- Drain hose
- Large rear wheels and rotating front wheels
- Cable storage & Accessory storage
- For wet or dry vacuum application
- Stainless steel or plastic tank
- EU/UK version available






Picture shown may not represent model quoted

• Standard equipment







Included accessories		Ref. no.	Min. required	LSU255-EU	LSU255P-EU	LSU255-UK
Nozzle						
	DRY PICK-UP TOOL	VA80036	1	•	•	•
Vac Nozzle Wet						
	WET PICK-UP TOOL	VA80853	1	•	•	•
Round Brush Nozzle						
	DUSTING Ø 38 MM	VA20803	1	•	•	•
Crevice Nozzle						
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	•
Filter						



Professional wet/dry vacuum cleaner with high suction power


Included accessories		Ref. no.	Min. required	LSU255-EU	LSU255P-EU	LSU255-UK
	55L ABSORBING DUST FILTER	VA80119	1	•	•	•
Tube						
	SUCTION TUBE ASSEMBLY	VA80400	1	•	•	•
	WAND ASSEMBLY	VA80711	1	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	LSU255P-UK	LSU255-CN	LSU255-TR
Nozzle						
	DRY PICK-UP TOOL	VA80036	1	•	•	
Vac Nozzle Wet						
	WET PICK-UP TOOL	VA80853	1	•	•	
Round Brush Nozzle						
	DUSTING Ø 38 MM	VA20803	1	•	•	
Crevice Nozzle						
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	
Filter						
	55L ABSORBING DUST FILTER	VA80119	1	•	•	
Tube						
	SUCTION TUBE ASSEMBLY	VA80400	1	•	•	



Professional wet/dry vacuum cleaner with high suction power

Included accessories		Ref. no.	Min. required	LSU255P-UK	LSU255-CN	LSU255-TR
	WAND ASSEMBLY	VA80711	1	•	•	

Model	LSU255-EU	LSU255P-EU	LSU255-UK
Ref. no.	50000126	50000127	50000128

PRODUCT FEATURES

Recovery emptying hoses	•	•	•
Easy-to-carry handle	•	•	•

Model	LSU255P-UK	LSU255-CN	LSU255-TR
Ref. no.	50000129	50000130	50000158

PRODUCT FEATURES

Recovery emptying hoses	•
Easy-to-carry handle	•

Technical specifications	LSU255-EU	LSU255P-EU	LSU255-UK
Vacuum motor type	2-stage	2-stage	2-stage
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
IP protection class	X4	X4	X4
Rated power (W)	2000	2000	2000
Max. airflow (m³/h - l/min.)	300/5000	300/5000	300/5000
Vacuum (mm H2O)	2250	2250	2250
Sound pressure level (dB(A))	78	78	78
Cable length (m)	8/orange	8/orange	8/orange
Tank capacity (l)	55	55	55
Length x width x height (cm)	63.4x58.6x94.8	63.4x58.6x94.8	63.4x58.6x94.8
Weight (kg)	24.5	24.5	24.5








Technical specifications	LSU255P-UK	LSU255-CN	LSU255-TR
Vacuum motor type	2-stage	2-stage	2-stage
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
IP protection class	X4	X4	X4
Rated power (W)	2000	2000	2000
Max. airflow (m³/h - l/min.)	300/5000	300/5000	300/5000



Professional wet/dry vacuum cleaner with high suction power





Technical specifications	LSU255P-UK	LSU255-CN	LSU255-TR
Vacuum (mm H ₂ O)	2250	2250	2250
Sound pressure level (dB(A))	78	78	78
Cable length (m)	8/orange	8/orange	8/orange
Tank capacity (l)	55	55	55
Length x width x height (cm)	63.4x58.6x94.8	63.4x58.6x94.8	63.4x58.6x94.8
Weight (kg)	24.5	24.5	24.5

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment






Accessories	Ref. no.	Min. required	LSU255-EU	LSU255P-EU	LSU255-UK
Tube					
 SUCTION TUBE ASSEMBLY	VA80400	1	●	●	●
 WAND ASSEMBLY	VA80711	1	●	●	●
Crevice Nozzle					
 CREVICE TOOL Ø 38 MM	VA20806	1	●	●	●
Filter					
 55L ABSORBING DUST FILTER	VA80119	1	●	●	●
 FILTER WET LSU255/275/296	VA81342	1	○	○	○
Nozzle					
 DRY PICK-UP TOOL	VA80036	1	●	●	●
Vac Nozzle Wet					
 WET PICK-UP TOOL	VA80853	1	●	●	●
Squeegee, Blade, Skirt and Splash Guard					



Professional wet/dry vacuum cleaner with high suction power







Accessories		Ref. no.	Min. required	LSU255-EU	LSU255P-EU	LSU255-UK
	BLADE STRIP 38MM	VA86700	1	○	○	○
Round Brush Nozzle						
	DUSTING Ø 38 MM	VA20803	1	●	●	●
Bag						
	DUST BAG MICROFIBER 50L PACK 10PCS	VA82059-P10	1	○	○	
Other						
	TROLLEY FIXED SQUEEGEE KIT 69CM	VA87704	1	○		○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	LSU255P-UK	LSU255-CN	LSU255-TR
Tube						
	SUCTION TUBE ASSEMBLY	VA80400	1	●	●	
	WAND ASSEMBLY	VA80711	1	●	●	
Crevice Nozzle						
	CREVICE TOOL Ø 38 MM	VA20806	1	●	●	
Filter						
	55L ABSORBING DUST FILTER	VA80119	1	●	●	
	FILTER WET LSU255/275/296	VA81342	1	○	○	○
Nozzle						



Professional wet/dry vacuum cleaner with high suction power

Accessories		Ref. no.	Min. required	LSU255P-UK	LSU255-CN	LSU255-TR
	DRY PICK-UP TOOL	VA80036	1	•	•	
Vac Nozzle Wet						
	WET PICK-UP TOOL	VA80853	1	•	•	
Squeegee, Blade, Skirt and Splash Guard						
	BLADE STRIP 38MM	VA86700	1	○	○	
Round Brush Nozzle						
	DUSTING Ø 38 MM	VA20803	1	•	•	
Bag						
	DUST BAG MICROFIBER 50L PACK 10PCS	VA82059-P10	1	○	○	○
Other						
	TROLLEY FIXED SQUEEGEE KIT 69CM	VA87704	1		○	○

